



HP LaserJet Enterprise 675R6A#B19 Laser-Drucker 1200 x 1200 DPI A4

Marke : HP

Produktfamilie: LaserJet Enterprise

Artikel-Code: 675R6A#B19

Produktname : 675R6A#B19

HP LaserJet Enterprise 675R6A#B19. Drucktechnologie: Laser. Zahl der Druckpatronen: 1, Maximale monatliche Auslastung: 150000 Seiten pro Monat. Maximale Auflösung: 1200 x 1200 DPI. Maximale Papiergröße der ISO A-Serie: A4. Druckgeschwindigkeit (Schwarz, normale Qualität, A4/US Letter): 50 Seiten pro Minute, Doppelseitiger Druck. Display: CGD, Produktfarbe: Blau



Drucken		Design	
Duplex Druckmodus	Auto	Zertifizierung	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Druckauflösung schwarz	1200 x 1200 DPI		
Farbe *	✗		
Drucktechnologie *	Laser		
Doppelseitiger Druck *	✓		
Maximale Auflösung *	1200 x 1200 DPI		
Druckgeschwindigkeit (Schwarz, normale Qualität, A4/US Letter) *	50 Seiten pro Minute		
Aufwärmzeit	145 s		
Druck der ersten Seite (Schwarz, normal)	4,1 s		
Druckränder	4,23 mm	Energie	Durchschnittlicher Stromverbrauch beim Drucken * 552,4 W Energieverbrauch (bereit) 4,89 W Stromverbrauch (PowerSave) 0,02 W Stromverbrauch (aus) 0,02 W Energy Star Typischer Stromverbrauch (TEC) 0,419 kWh/Woche AC Eingangsspannung 100 - 240 V AC Eingangsfrequenz 50/60 Hz
Wasserzeichendruck	✓		
Merkmale			
Maximale monatliche Auslastung *	150000 Seiten pro Monat		
Empfohlene monatliche Auslastung	2500 - 12500 Seiten pro Monat		
Druckfarben *	Schwarz		
Zahl der Druckpatronen *	1		
Seitenbeschreibungssprachen *	PDF 1.7, PCL 6		
Drucker-Schriftarten	Scalable, TrueType, Windows, PCL, PostScript		
Ursprungsland	Vietnam	Systemanforderung	Unterstützt Windows-Betriebssysteme Windows 10 x64, Windows 10, Windows 11 x64, Windows 11 Unterstützt Mac-Betriebssysteme Mac OS X 14.0 Sonoma, MacOS Unterstützung anderer Betriebssysteme ChromeOS, Android, iOS
HP-Segment	Business		
Ein- und Ausgangskapazität			
Gesamtzahl der Papierzuführungen *	2	Betriebsbedingungen	Betriebstemperatur 10 - 32,5 °C Temperaturbereich bei Lagerung -20 - 40 °C Relative Luftfeuchtigkeit in Betrieb 10 - 80%
Gesamte Papierkapazität *	650 Blätter		
Gesamte Ausgabekapazität *	250 Blätter		
Kapazität Papierfach 1	100 Blätter		
Kapazität Papierfach 2	550 Blätter		
Mehrzweckfach	✓		

Ein- und Ausgangskapazität		Nachhaltigkeit	
Eingabekapazität Multifunktionsfach	100 Blätter	Nachhaltigkeitszertifikate	ENERGY STAR, Blue Angel, EPEAT Gold
Gesamtzahl der Papierzuführungen	5	Nachhaltige Technologien und Materialien	Mercury free; Recyclable through HP Planet Partners; Contains at least 5% post-consumer recycled plastic
Maximale Papierkapazität	2300 Blätter	Enthält nicht	Quecksilber
Max. Ausgabekapazität	250 Blätter	Gewicht und Abmessungen	
Papierhandhabung		Breite	400 mm
Maximale Papiergröße der ISO A-Serie *	A4	Tiefe	400 mm
Medientypen für das Papierfach *	Normales Papier, Bondpapier, Recyclingpapier, Briefumschläge, Kartenstapel, Etiketten, Transparenzen, Konzeptpapier, Briefkopf	Höhe	295 mm
		Paletten Größe (B x T x H)	1200 x 1000 x 2318 mm
ISO-A-Formate (A0...A9) *	A4, A5, A6	Gewicht	11,9 kg
ISO-B-Formate	B5	Verpackungsdaten	
ISO C-Seriengrößen (C0...C9)	C5, C6	Verpackungsbreite	511 mm
Nicht-ISO Druckmedienformate	Oficio, 16K	Verpackungstiefe	497 mm
JIS B-Seriengröße (B0...B9)	B5, B6	Verpackungshöhe	438 mm
Umschlaggrößen	B5, C5, C6, DL	Paketgewicht	15,7 kg
Fotopapiergrößen	10x15 cm	Lieferumfang	
Fotopapiergrößen (imperial)	3x5,4x6,5x7,5x8,8.5x13	Garantiekarte	✓
Benutzerdefinierte Medienbreite	76,2 - 216 mm	Mitgelieferte Kabel	AC
Benutzerdefinierte Medienlänge	127 - 356 mm	Markeneigenschaften	
Mediengewichte für das Papierfach	60 - 200 g/m²	HP dynamische Sicherheit	✓
Anschlüsse und Schnittstellen			
Direktdruck *	✓		
USB Anschluss *	✓		
Anzahl USB 2.0 Anschlüsse	1		
Netzwerk			
WLAN *	✗		
Ethernet/LAN *	✓		
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s		
Bluetooth	✓		
Unterstützte Sicherheitsalgorithmen	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, TLS, FIPS 140, HTTPS, IPSec		
Mobile Drucktechnologien	Mopria Print Service, Apple AirPrint		
Leistungen			
Speicherkapazität *	4096 MB		
RAM-Speicher maximal	4096 MB		
Flash-Speicher	32 MB		
Schalldruckpegel (Druck)	55 dB		
Schallleistungspegel (Druck)	6,6 dB		
Design			
Marktpositionierung *	Business		
Produktfarbe *	Blau		
Eingebautes Display *	✓		
Display	CGD		
Farbdisplay	✓		
Bildschirmdiagonale	10,9 cm (4.3")		
Steuerung	Berührung		

Markeneigenschaften

HP Security tools

Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers, HP Authentication Suite with Workpath); Protected Access (embedded) end user passwordless MFA for Microsoft Entra ID; Proximity card reader, single sign-on, smart card, CAC support. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft); Secure Erase with job storage (3x overwrite for HDD, cryptographic erase for SSD); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; AI-enabled Guided Redaction data security (select models). Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); HP LaserJet Workflow Accelerator Card support (select HP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Governance, and Compliance: FIPS 140-2, 140-3, Common Criteria Certification; HP Workpath support (select models); NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models); Original HP Enterprise Cartridge Security.

Logistikdaten	
Palettengewicht (brutto)	330 kg
Lagenanzahl pro Palette	5 Stück(e)
Produkte pro Palette	20 Stück(e)
Technische Details	
Versandkarton pro Palettenlage	4 Stück(e)
Konformitätsbescheinigungen	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
Sonstige Funktionen	
Empfohlene Systemvoraussetzungen	2 GB available hard disk space; Internet connection; USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port.
Empfohlener Luftfeuchtigkeitsbereich	30 - 70%
Netzteiltyp	Built-in 3-Pin 115V or 220V Internal Power Supply
Empfohlener Betriebstemperaturbereich	15 - 27 °C
Kundenspezifische Mediengrößen	Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet Tray: 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: 98 x 162 to 178 x 254 mm
Zufuhrfach für Briefumschläge	Ja
Elektromagnetische Verträglichkeit	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Kompatible Betriebssysteme	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: ManjaroLinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: RHEL 6; Linux: RHEL 7; Linux: RHEL 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS; SAP
Palettendimensionen (B x T x H)	1199,9 x 1000 x 2318 mm (47.2 x 39.4 x 91.3")
Palettengewicht (imperial)	330 kg (727.5 Pfund)
Typischer Stromverbrauch (TEC) – Nummer	0.419 kWh/Week (Blue Angel); 0.400 kWh/Week (ENERGY STAR 3.0)
UNSPSC-Code	43212105
Packungsinhalt	HP LaserJet Enterprise 5502dn Printer; HP Original LaserJet Toner Cartridge (~6,000 pages); Regulatory flyer; Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list
Drucken	Monodruck



0198415437792



198415437792

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.