EPSON

Epson EB-875E

Marke : Epson **Artikel-Code:** V11HC04140

Produktname : EB-875E

EB-875E
Epson EB-875E. Projektorhelligkeit: 5000 ANSI Lumen, Projektionstechnologie: 3LCD, native Auflösung des Projektors: 1080p (1920x1080). Typ der Lichtquelle: Laser, Lebensdauer der Lichtquelle: 20000 h, Lebensdauer der Lichtquelle (ökonomischer Modus): 30000 h. Fokus: Manuell, Brennweitenbereich: 3.7 mm, Zoomverhältnis: 1.35:1. Videoverarbeitung: 10 Bit, Video-Farbmodi: Schreibtafel, Kino, DICOM Simulationsmodus, Dynamisch, Präsentation, sRGB. Geräuschpegel: 33 dB, Geräuschpegel (Energiesparmodus): 25 dB, Ursprungsland: Philippinen

Projektor	
Projektionsflächenkapazität *	1524 - 3302 mm (60 - 130")
Kontrastverhältnis (dynamisch)	5000000:1
Projektorhelligkeit *	5000 ANSI Lumen
Projektionstechnologie *	3LCD
native Auflösung des Projektors *	1080p (1920x1080)
Natives Seitenverhältnis *	16:9
Anzahl der Farben	1,07 Milliarden Farben
Projektorhelligkeit (Energiesparmodus)	3600 ANSI Lumen
Vertikaler Scanbereich	192 - 240 Hz
Trapezkorrektur, horizontal	±3°
Trapezkorrektur, vertikal	±3°
Wärmeableitung	956,8 BTU/h
Lichtquelle	
Typ der Lichtquelle *	Laser
Lebensdauer der Lichtquelle *	20000 h
Lebensdauer der Lichtquelle (ökonomischer Modus)	30000 h
Objektiv	
Fokus *	Manuell
Brennweitenbereich	3.7 mm
Blende (relative Öffnung)	1,6
Zoom-Fähigkeit	✔
Zoomverhältnis	1.35:1
Projektionsverhältnis	0.25 - 0.35:1
Video	
Videoverarbeitung	10 Bit
Video-Farbmodi	Schreibtafel, Kino, DICOM Simulationsmodus, Dynamisch, Präsentation, sRGB
Merkmale	
Geräuschpegel (Energiesparmodus)	25 dB
Geräuschpegel *	33 dB
Ursprungsland	Philippinen
Passwortschutz	✔
Multimedia	
Eingebaute Lautsprecher *	✔
RMS-Leistung	16 W

Design	
Produktfarbe *	Schwarz
Platzierung	Zimmerdecke, Wand
Kabelsperre-Slot	✔
Slot-Typ Kabelsperre	Kensington
Energie	
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Betriebsbedingungen	
Temperaturbereich bei Lagerung	-10 - 60 °C
Luftfeuchtigkeit bei Lagerung	45 - 85%
Gewicht und Abmessungen	
Breite	376 mm
Tiefe	395 mm
Höhe	139 mm
Gewicht *	7,1 kg
Technische Details	
Duplex Scan-Geschwindigkeit (Farbe)	21:9 aspect ratio support, A/V mute, Arc Correction, Auto Calibration, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Dual Pen Support, Duolink Interactivity, Easy OSD pre-setting, Home Screen, Image Shift, Mail notification function, Network administration, OSD copy function, PC Interactive, PC free annotation, Quick Corner, Screen Mirroring, Split-Screen-Function, Ultra-wide display (16:6), Volume control, Web Control, Web Remote, Wireless LAN capable, iProjection App
Mobile App-Unterstützung	✔
Stromverbauch	245.2 Watt (Normal On-Mode), 205.3 Watt (Eco On-Mode), 311.9 Watt (Normal Peak-mode), 267 Watt (Eco Peak-Mode), 0.5 Watt (Energy saving standby)
Logistikdaten	
Menge pro Packung	1 Stück(e)

Sonstige Funktionen	
Option	Air filter, Ceiling mount, Connection and control box, Document camera, External Speaker, HDBaseT Transmitter, Safety wire set, Short throw wall mount, Visualiser camera
Schnittstelle	USB 2.0-A (2x), USB 2.0 Type B (Service Only), USB 2.0 Mini-B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, HDMI in (3x), HDMI out, HDBaseT, Miracast, Jack plug out, Jack plug in, Microphone input, Sync. in, Sync. out, Apple AirPlay 2
Bedienfeld	0.62 inch with C2 Fine
Unterstützte Netzwerkprotokolle	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink
Sicherheit Eigenschaften	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN security, Password protection

8715946749662

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 29-SEP-2026. Prints or copies of Information are only valid on the printed Publication date