

Epson PowerLite EB-815E

Marke : Epson

Produktfamilie: PowerLite

Artikel-Code: V11HA99180

Produktname : EB-815E



- Skalierbarer 4KE-Projektor für jeden Raumtyp: Ultrakurzstanz-Projektor, Bild diagonale von 80-160 Zoll (2,03-4,06 m) für uneingeschränkte Sicht (keine Schatten/Reflexionen)
- Heller und energieeffizienter Laserprojektor: 5.000 Lumen Weiß-/Farbhelligkeit mit 3LCD-Technologie für besonders leuchtende Farben
- Praktische Anschlussmöglichkeiten: Automatische Einschaltung, kabelgebundene/kabellose Nutzung, USB 2A-Ausgang für Smart Sticks
- Einfach zu bedienen und langlebig: Wartungsarm und 5 Jahre/12.000 Stunden Garantie
- Überzeugende Alternative zu Video-/LED-Wandlösungen: Überzeugend kostengünstig bei geringem Energieverbrauch



Projektor		Design	
Smart Projektor *	✗	Platzierung	Zimmerdecke, Desktop, TV cabinet, Wand
Projektionsflächenkapazität *	2032 - 4064 mm (80 - 160")	Kabelsperre-Slot	✓
Kontrastverhältnis (dynamisch)	5000000:1	Slot-Typ Kabelsperre	Kensington
Projektorhelligkeit *	5000 ANSI Lumen	Bildschirm	
Projektionstechnologie *	3LCD	Eingebautes Display *	✗
native Auflösung des Projektors *	1080p (1920x1080)	Energie	
Kontrastverhältnis *	2500000:1	Energiequelle *	AC
Natives Seitenverhältnis *	16:9	Stromverbrauch (Standardbetrieb) *	290 W
Projektorhelligkeit (Energiesparmodus)	3500 ANSI Lumen	Stromverbrauch (max.)	380 W
Vertikaler Scanbereich	192 - 240 Hz	Verbrauch (Energiesparmodus)	192 W
Matrix Größe	1,57 cm (0.62")	AC Eingangsspannung	100 - 240 V
Wärmeableitung	1292 BTU/h	AC Eingangsfrequenz	50 - 60 Hz
Lichtquelle		Netzteil Ausgangsspannung	100 - 240 V
Typ der Lichtquelle *	Laser	Betriebsbedingungen	
Lebensdauer der Lichtquelle *	20000 h	Temperaturbereich bei Lagerung	-10 - 60 °C
Lebensdauer der Lichtquelle (ökonomischer Modus)	30000 h	Relative Luftfeuchtigkeit in Betrieb	20 - 80%
Objektiv		Luftfeuchtigkeit bei Lagerung	10 - 90%
Fokus *	Manuell	Gewicht und Abmessungen	
Brennweitenbereich	2.3 mm	Breite	695 mm
Feste Brennweite	2,3 mm	Tiefe	341 mm
Blende (relative Öffnung)	1,8	Höhe	156 mm
Zoom-Fähigkeit	✓	Gewicht *	12,5 kg
Zoomverhältnis	1.35:1	Verpackungsbreite	460 mm
Projektionsverhältnis	0.16 - 0.22:1	Verpackungstiefe	790 mm
Video		Verpackungshöhe	310 mm
Analoges Signalformatsystem *	Nicht unterstützt	Paketgewicht	16,9 kg
Full-HD *	✓	Lieferumfang	
3D *	✗	Fernbedienung enthalten *	✓
Videoverarbeitung	10 Bit	Akkus/Batterien enthalten	✓
Farbmodi (2D)	Kino, Dynamisch, Natürlich/Natur, Schreibtafel, DICOM SIM, Präsentation		

Video		Lieferumfang		
Video-Farbmodi	Schreibtafel, Kino, DICOM Simulationsmodus, Dynamisch, Multi-projection, Natürlich/Natur, Präsentation	Mitgelieferte Software	Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management, Epson Setting Assistant	
Anschlüsse und Schnittstellen		Technische Details		
Typ Serviceport	USB Typ-B	Duplex Scan-Geschwindigkeit (Farbe)	21:9 aspect ratio support, 4K enhancement, A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Customizable user logo, Daisy chain Multi-Projection, Digital zoom, Direct Power on/off, Document Camera Compatible, Edge Blending, Email notification, Fit to Screen, Home Screen, Horizontal and vertical keystone correction, Image Shift, JPEG Viewer, Long light source life, PC Free, Point correction, Power on button, Quick Corner, Schedule Function, Screen Mirroring, Source function, Split-Screen-Function, Ultra-wide display (16:6), Web Control, Web Remote, Wireless LAN capable, iProjection App	
Anzahl USB 2.0 Anschlüsse	2			
Serielle Schnittstelle *	RS-232C			
Anzahl HDMI-Anschlüsse *	3			
DVI Anschluss *	✗			
Netzwerk		Mobile App-Unterstützung	✓	
Smart-TV *	✗			
Ethernet/LAN *	✓			
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1			
Ethernet LAN Datentransferraten	10,100 Mbit/s			
WLAN *	✓	Stromverbrauch	290 Watt (Normal On-Mode), 192 Watt (Eco On-Mode), 380 Watt (Normal Peak-mode), 286 Watt (Eco Peak-Mode), 0.4 Watt (Energy saving standby)	
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)			
Miracast	✓			
Speichermedium				
Integrierter Kartenleser *	✗			
Merkmale		Logistikdaten		
Interaktiv *	✗			
Geräuschpegel (Energiesparmodus)	26 dB			
Geräuschpegel *	35 dB			
Ursprungsland	Philippinen			
High Dynamic Range Video (HDR) Unterstützung	✓	Menge pro Packung	1 Stück(e)	
Technologie mit hohem Dynamikbereich (HDR)	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)	Produkte pro Palette	12 Stück(e)	
Passwortschutz	✓	Palettenlänge (brutto)	120 cm	
Multimedia		Palettenbreite (brutto)	80 cm	
Eingebaute Lautsprecher *	✗	Palettenhöhe (brutto)	2,01 m	
Design		Produkte pro Palettenlage	2 Stück(e)	
Marktpositionierung *	Business	Produkte pro Palettenlage (UK)	2 Stück(e)	
Produkttyp *	Ultra-Short-Throw-Projektor	Anzahl pro Palette (UK)	12 Stück(e)	
Produktfarbe *	Schwarz	Palettenlänge (UK)	120 cm	
		Palettenhöhe (UK)	2,01 m	
		Sonstige Funktionen		
		Option	Air filter, Ceiling mount, Connection and control box, MB22 ceiling mount, Safety wire set, Visualiser camera, WP System - ELPWP10, WP System - ELPWP20, Wall hanging bracket, Wall mount, Wireless LAN unit, Wireless transmitter - ELPWT01	
		Schnittstelle	USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, HDMI in (2x), HDMI out, HDBaseT, Miracast	
		Bedienfeld	0.62 inch with C2 Fine	
		Unterstützte Netzwerkprotokolle	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink	
		Sicherheit Eigenschaften	Kensington lock, Control panel lock, Password lock, Padlock, Wireless LAN unit lock, Wireless LAN security, Password protection	



8715946726540

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.